

## ***Behavioral Health HEDIS Measures Quick Reference Guide***

<b>Behavioral health (BH) HEDIS® measures</b>	<b>Measure compliance</b>	<b>Measure tracking method</b>
<b>Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications</b>	Providers should perform one glucose or HbA1c test each year for members diagnosed with schizophrenia or bipolar disorder and who are taking antipsychotic medications.	Measure is monitored using claims and lab data.
<b>Diabetes Monitoring for People With Diabetes and Schizophrenia</b>	Members who have a diagnosis of schizophrenia and diabetes should receive at least one LDL-C and HbA1c test per year.	Measure is monitored using claims and lab data.
<b>Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia</b>	Members with cardiovascular disease and schizophrenia should receive at least one LDL-C test per year.	Measure is monitored using claims and lab data.
<b>Adherence to Antipsychotic Medications for Individuals With Schizophrenia</b>	Members with the diagnosis of schizophrenia should remain on antipsychotic medication for at least 80% of the treatment period.	Measure is monitored using pharmacy data.
<b>Antidepressant Medication Management</b>	Members newly prescribed antidepressant medication should remain on the medication for 180 days.	Measure is monitored using pharmacy data.
<b>Follow-Up After Hospitalization for Mental Illness</b>	Members should receive an outpatient visit with a BH/mental health provider within seven or 30 days after an acute BH hospitalization.	Visits are tracked using claims data.
<b>Follow-Up Care for Children Prescribed ADHD Medication</b>	Members newly prescribed ADHD/ADD medication should receive a follow-up visit with a PCP or BH specialist 30 days after the fill date and two more times after the 30-day visit.	Visits are tracked using claims data.