

Medical Policy

Subject: Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

Document#:SURG.00023Publish Date:12/29/2021Status:RevisedLast Review Date:11/11/2021

Description/Scope

This document addresses the following three areas: reconstructive breast surgery, cosmetic surgeries designed to enhance the appearance of the breast and management of breast implants.

Reconstructive breast surgery refers to surgical procedures to rebuild the contour of the breast, along with the nipple and areola if desired. Typically, breast reconstruction is performed following a mastectomy (that is, the breast has been removed because of breast cancer) or lumpectomy (that is, removal of the breast tumor and tissue surrounding it), but occasionally techniques of breast reconstruction are used to treat individuals who have an abnormal development of one or both breasts.

Note: Please see the following related document(s) for additional information:

- SURG.00011 Allogeneic, Xenographic, Synthetic and Composite Products for Wound Healing and Soft Tissue Grafting
- CG-SURG-71 Reduction Mammaplasty

For information regarding surgical procedures of the breast for individuals with gender dysphoria/incongruence or gender identity disorder (GID), please see the following:

• CG-SURG-27 Gender Affirming Surgery

For autologous fat grafting and other soft tissue augmentation procedures of the breast see:

• MED.000132 Adipose-derived Regenerative Cell Therapy and Soft Tissue Augmentation Procedures

Note: The Women's Health and Cancer Rights Act of 1998 (WHCRA) is federal legislation that provides that any individual, with insurance coverage who is receiving benefits in connection with a mastectomy covered by their benefit plan (whether or not for cancer) who elects breast reconstruction, must receive coverage for the reconstructive services as provided by WHCRA. This includes reconstruction of the breast on which the mastectomy has been performed, surgery and reconstruction of the other breast to produce a symmetrical appearance and prostheses and treatment of physical complications of all stages of the mastectomy including lymphedemas. If additional surgery is required for either breast for treatment of physical complications of the implant or reconstruction, surgery on the other breast to produce a symmetrical appearance is reconstructive at that point as well. The name of this law is misleading because: 1) cancer does not have to be the reason for the mastectomy; and 2) the mandate applies to men, as well as women. WHCRA does not address lumpectomies. Some states have enacted similar legislation, and some states include mandated benefits for reconstructive services after lumpectomy.

Medically Necessary: In this document, procedures are considered **medically necessary** if there is a significant functional impairment, AND the procedure can be reasonably expected to improve the functional impairment.

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

Reconstructive: In this document, procedures are considered **reconstructive** when intended to address a significant variation from normal related to accidental injury, disease, trauma, treatment of a disease or congenital defect. **Note:** Not all benefit contracts include benefits for reconstructive services as defined by this document. Benefit language supersedes this document.

Cosmetic: In this document, procedures are considered **cosmetic** when intended to change a physical appearance that would be considered within normal human anatomic variation. Cosmetic services are often described as those that are primarily intended to preserve or improve appearance.

Position Statement

Medically Necessary:

Removal of implants *partially or completely filled with Silicone Gel* is considered **medically necessary** when there is documented implant rupture (that is, using mammography, ultrasound, or MRI).

Removal of a *Silicone Gel filled*, *Saline filled* or "*Alternative*" implant is considered **medically necessary** for any of the following:

- Infection of the implant or surrounding tissue; or
- Implant exposure/extrusion; or
- Pain related to Baker Class IV capsular contracture; or
- Confirmed cases of breast implant-associated anaplastic large cell lymphoma; or
- Elective removal in individuals with an increased risk of breast implant-associated anaplastic large cell lymphoma (BIA-ALCL) due to use of Allergan BIOCELL textured breast implants and tissue expanders; or
- Prior to surgical treatment of breast cancer. (Note: Implant explantation is routinely performed at the time of mastectomy. In individuals treated with breast conserving surgery [that is, lumpectomy], a breast implant may or may not interfere with subsequent treatment, and thus explantation at the time of lumpectomy is at the discretion of the treating physician and the treated individual).

Reconstructive:

Breast surgery is considered **reconstructive** to rebuild the normal contour of the affected and the contralateral *unaffected* breast to produce a more normal appearance following a mastectomy, lumpectomy, or other breast surgery for breast cancer. Surgical procedures, such as reduction mammaplasty, may be considered **reconstructive** when done *in advance of* mastectomy or lumpectomy for breast cancer in some cases, subject to the decisions of the member and the treating surgeons, in order to produce improved cosmesis and prevent postoperative complications. The number of procedures and timing of these procedures varies, depending on the individualized treatment plan devised by the treating physician(s) and the individual and may be impacted by the overall treatment plan for the breast cancer itself.

Covered reconstructive procedures include any or all of the following (A through E):

- A. Reconstructive surgery and implant insertion;
- B. Procedures where muscle tissue is transposed from another site;
- C. Reconstruction of the contralateral breast to achieve symmetry with reduction mammaplasty, augmentation mammaplasty with implants, or mastopexy;

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

- D. Revision or removal of pre-existing breast implants placed for cosmetic purposes;
- E. Reduction mammaplasty performed in advance of mastectomy or lumpectomy.

Breast surgery of both breasts is considered **reconstructive** following the mastectomy of both breasts.

Breast surgery to alter the contour of the breast is considered **reconstructive** when there are significant abnormalities related to trauma, congenital defects, infection or other non-malignant disease. A specific example of this is Poland's syndrome which may be diagnosed when all of the following are present:

- Congenital absence or hypoplasia of pectoralis major and minor muscles; and
- Breast hypoplasia; and
- Congenital partial absence of the upper costal cartilage.

Removal of an implant (any type) with or without reimplantation is considered **reconstructive** when an implant, originally placed **in an individual with a history of mastectomy, lumpectomy or treatment of breast cancer** for reconstructive purposes as defined above, develops a visible distortion (Baker Class III contracture).

Removal of a saline-filled or "Alternative" implant with or without reimplantation is considered **reconstructive** when originally placed **in an individual with a history of mastectomy, lumpectomy or treatment of breast cancer** for reconstructive purposes, as defined above, if it ruptures.

Surgery on the contralateral breast to produce a symmetrical appearance after removal of an implant and reimplantation is considered **reconstructive** when the implant was originally placed for reconstructive purposes in an individual with a history of mastectomy, lumpectomy or treatment of breast cancer.

Not Medically Necessary:

Removal of a ruptured **saline-**filled or "Alternative" implant is considered **not medically necessary** since the potential adverse medical consequences of implant rupture are related to silicone gel implants *only*.

Removal of **ANY type of** breast implant is considered **not medically necessary** for any of the following:

- Systemic symptoms attributed to connective tissue disease, autoimmune diseases, etc.; or
- Personal anxiety; **or**
- Pain not related to contractures or rupture; or
- The medically necessary or reconstructive criteria listed above have not been met.

Cosmetic and Not Medically Necessary:

Reimplantation of an implant inserted for cosmetic purposes only (that is, for reasons other than a history of mastectomy, lumpectomy, treatment of breast cancer, significant abnormalities related to trauma, congenital defects, infection or other non-malignant disease) and removed as part of a medically necessary or reconstructive surgery (see above) is considered **cosmetic and not medically necessary.**

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

Other breast procedures, (including augmentation mammaplasty/breast lift, implant repositioning, repair of inverted nipples, mastopexy) are considered **cosmetic and not medically necessary** except when performed as part of a covered breast reconstruction service.

Rationale

The Women's Health and Cancer Rights Act of 1998 (WHCRA) mandated that reconstructive breast surgery for women and men who have undergone mastectomy be covered by their benefits for those who have opted to have breast reconstruction. In individuals who have undergone a medically necessary lumpectomy, surgery to create a more normal anatomy is considered reconstructive.

Removal of silicone-filled implants has been shown to be necessary when due to infection, implant exposure, or pain related to capsular contracture. In addition, Grade IV contractures interfere with adequate mammography screening and thus, their presence has potential medical implications. Therefore, removal may be considered medically necessary. Grade III contractures do not interfere with mammography; therefore, Grade III contractures are not considered an absolute indication for removal. However, since Grade III contractures do have an impact on the normal appearance of the breast, removal may be appropriate for implants *originally placed for reconstructive purposes*, since the goal of restoration of the normal appearance of the breast is not achieved. Contracture is the most common local complication of breast implants. Contractures have been graded according to the Baker Classification which is outlined below:

Grade I: Augmented breast feels as soft as a normal breast.

Grade II: Breast is less soft and the implant can be palpated but is not visible. Grade III: Breast is firm, palpable, and the implant (or its distortion) is visible.

Grade IV: Breast is hard, painful, cold, tender, and distorted.

The FDA labeling of silicone implants recommends removal of ruptured silicone implants. Intact silicone implants are all associated with leakage of small amounts of silicone, and there has been concern that this leakage is associated with various autoimmune diseases. The data from multiple studies is inadequate to support an association between silicone implants and autoimmune disease (Janowsky, 2000).

In 2011, the FDA published preliminary findings and analyses of breast implant-associated anaplastic large cell lymphoma (BIA-ALCL) in individuals with breast implants. As part of its analysis, the FDA conducted a thorough review of scientific literature published from January 1997 through May 2010. From this review, the FDA identified 34 unique cases of BIA-ALCL in women with breast implants throughout the world. This number is difficult to verify because not all cases were published in the scientific literature. Some cases have been identified through the FDA's contact with other regulatory authorities, scientific experts, and breast implant manufacturers, and it is not clear how many of these are duplicates of the ones found in the literature. The number of identified cases is small compared to the estimated 5-10 million individuals who have received breast implants worldwide. Based on these data:

The FDA believes that women with breast implants may have a very small but increased risk of BIA-ALCL. Because the risk of BIA-ALCL appears very small, the FDA believes that the totality of

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

evidence continues to support a reasonable assurance that FDA-approved breast implants are safe and effective when used as labeled (FDA, 2011; Kim, 2011).

As of September 30, 2017, the FDA had received a total of 414 medical device reports (MDRs) of BIA-ALCL, including the death of nine patients. Of these, 272 of the 414 reports included information on the surface of the implant at the time of the report, including 242 with textured surfaces and 30 with smooth surfaces. Also noted, 413 of the 414 reports included information on the type of implant fill. Of these, 234 reported implants filled with silicone gel and 179 reported implants filled with saline. This further clarifies that saline implants are also reported to be associated with BIA-ALCL (FDA, 2017).

The FDA continues to collect and evaluate information about BIA-ALCL associated with breast implants. In collaboration with the American Society of Plastic Surgeons and the Plastic Surgery Foundation (ASPS/PSF), the FDA has developed a registry of BIA-ALCL cases, known as the PROFILE Registry (Patient Registry and Outcomes For breast Implants and anaplastic large cell Lymphoma [ALCL] etiology and Epidemiology), to prospectively track and collect scientific data on ALCL in individuals with breast implants. The primary goal of this ongoing collaboration is to better understand the role of breast implants in the etiology of primary ALCL in individuals with breast implants. The research will also focus on identifying potential risk factors and criteria detection for the identification of at-risk individuals and the management of BIA-ALCL. Based on global data sharing, at the present time, the ASPS claims to be aware of 573 cases of BIA-ALCL worldwide with 33 diseaserelated deaths over 30 countries. From the current total of 573 confirmed cases of BIA-ALCL, 481 are reported to have had Allergan breast implants at the time of diagnosis. Information from the PROFILE registry about breast implants and treatment for BIA-ALCL will be available for practitioners and individuals with implants or considering breast implants. Registry data on confirmed cases of primary ALCL in individuals with breast implants will also be available for analytical epidemiological studies. The current status of the PROFILE registry is listed as collecting cases; additional information is available at: https://www.thepsf.org/research/registries/profile. Accessed on October 12, 2021.

In 2016, the World Health Organization (WHO) provisionally designated BIA-ALCL as a unique form of T-cell lymphoma that can develop in some breast implant recipients. The following is noted:

The exact number of cases remains difficult to determine due to significant limitations in world-wide reporting and lack of global breast implant sales data. At this time, most data suggest that BIA-ALCL occurs more frequently following implantation of breast implants with textured surfaces rather than those with smooth surfaces (WHO, 2016).

In October of 2019, researchers from Memorial Sloan Kettering Cancer Center presented preliminary evidence from a prospective cohort study of individuals who received reconstructive textured implants from a single surgeon between April 1993 and December 2017. The study followed 3546 women from a prospective database who received 6023 implants; 8 of these recipients developed BIA-ALCL after a median of 11.2 years of exposure. This equates to a risk of 0.294 cases per 1000 person-years (1 case per 443 women). Although the full study has not been published to date, this finding indicates that the risk of BIA-ALCL following implantation of a textured implant may be significantly higher than previously estimated (Ghione, 2019).

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

On July 24, 2019 the FDA announced the voluntary recall of specific models of textured breast implants manufactured by Allergan (Irvine, CA) from the U.S. market, due to the risk of BIA-ALCL. Following the FDA request, Allergan has notified the FDA that it is moving forward with a worldwide recall of their BIOCELL® textured breast implant products, including: Natrelle Saline-Filled breast implants, Natrelle Silicone-Filled breast implants, and Natrelle 410 Highly Cohesive Anatomically Shaped Silicone-Filled breast implants. However, the FDA has recommended against removal of breast implants in individuals who have no symptoms due to the low risk of developing BIA-ALCL (FDA, 2019). On September 29, 2020 the FDA issued its final Guidance for Industry and FDA Staff for saline, silicone gel, and alternative breast implants, which is intended to guide implant manufacturers about labeling requirements and other necessary information for any future pre-market applications for breast implants. It includes detailed instructions about post-approval core studies to be conducted for 10 years to include data about complications and implant extractions to be reported to the FDA.

In addition to BIA-ALCL, saline-filled implants have also been associated with infection, implant exposure, or pain related to capsular contracture, all requiring implant removal. Ruptured saline-filled implants have not been shown to pose any health risks due to the physiologic nature of saline, and their removal does not meet medical necessity criteria, except in the case of confirmed BIA-ALCL.

There is no medical evidence that supports the removal of breast implants for systemic symptoms, anxiety, or pain not related to contractures or rupture. The placement or removal of an implant in a healthy person is not considered to have any medically necessary justification and is considered cosmetic.

Note: Before considering the medical necessity for the removal of breast implants, the following questions must be answered:

- 1. Was the original insertion of breast implant(s) considered *reconstructive* or *cosmetic* in nature? Removal of a breast implant is considered **reconstructive** if the breast implant, originally inserted for reconstructive purposes, is associated with a significantly altered appearance, such that the goals of reconstruction (that is, to return the individual to a whole) are not reached.
- 2. What signs or symptoms are present?

The presence of signs and symptoms related to the breast implant (for example, painful capsular contracture or rupture) may be used to establish the medical necessity for implant removal. Certain signs or symptoms (see medical necessity criteria) will establish the medical necessity of implant removal, regardless of whether the implant was originally implanted for reconstructive or cosmetic reasons.

3. What type of implant is being removed?

The medical necessity criteria for explantation may depend on the type of implant. For example, the medical consequences of rupture of a silicone gel-filled implant differ from rupture of a saline-filled implant. The following implants are available:

- Silicone gel-filled;
- Saline-filled;
- Combination implants, that is, double lumen implants, consisting of an inner silicone-gel filled lumen surrounded by a saline-filled lumen.

Background/Overview

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

Description of Technology

Reconstructive breast surgery is a surgical procedure that is designed to restore the normal appearance of a breast after a medically necessary mastectomy for breast cancer or other medical condition, injury or congenital abnormality. In contrast, cosmetic breast surgery is defined as surgery designed to alter or enhance the appearance of a breast that has not undergone a medically necessary surgery, an accidental injury/trauma, congenital defect, infection or other non-malignant disease.

Breast reconstruction following a mastectomy can be done immediately after, or some time following, a procedure to remove a breast. In an immediate procedure, after removal of the breast tissue, the surgeon will place a breast implant in the location where the breast was removed. This is referred to as a one-stage procedure and has no impact on the outcome of any chemotherapy treatments. A delayed reconstruction procedure may be necessary if radiation therapy following the surgery is needed, since implants may interfere with such treatment. In some circumstances, it is necessary to do a two-stage procedure, which involves the placement of a tissue expander to stretch the skin where an implant will be inserted as the second-stage procedure. Placement of the expander will be followed several months later by placement of an implant. This type of procedure may be done either immediately or sometime after the breast removal surgery. In some cases of breast cancer, reconstructive surgery (that is, reduction mammaplasty) is performed before the mastectomy or lumpectomy, in order to produce improved cosmesis and also to prevent postoperative complications following the mastectomy or lumpectomy. Regardless of the timing and which procedure(s) are done, the reconstruction will not interfere with the doctor's ability to detect any disease recurrence.

Another technique used in breast reconstruction involves a two-phase procedure. In the first phase, the breast mound is created, using either an implant with or without a tissue expander, or an autologous tissue reconstruction procedure with a transverse rectus abdominus musculocutaneous flap (that is, TRAM flap), and allowed to heal. In the second phase, which begins 3 to 6 months after the first stage is completed, the breast shape is refined and the nipple-areola is created. Tattooing of the nipple and/or areola is the final stage of reconstruction, and in some cases may be delayed up to 2 years.

Description of Chest Wall Deformities

Congenital chest wall deformities include, but are not limited to, Poland syndrome, pectus excavatum (also referred to as sunken chest or funnel chest), and pectus carinatum (referred to as pigeon breast or chicken breast). Poland syndrome is a rare, congenital disorder which is associated with a wide range of malformations of the ribs on one or both sides of the sternum. This condition is characterized by absence or hypoplasia of the pectoralis major and minor muscles, absence of costal cartilages, hypoplasia of the breast and subcutaneous tissue, and a variety of hand and upper-extremity anomalies. In general, the severity of congenital chest wall deformities is dependent upon the depth, symmetry and width of the deformity which is evaluated by chest radiographs. In more severe cases where cardiac and/or pulmonary compression and cardiac displacement may be involved, the clinical evaluation may include chest computed tomography (CT) or magnetic resonance imaging (MRI), in addition to echocardiography and pulmonary function testing. Surgical repair may be necessary in some severe cases where cardiopulmonary function is impaired.

Definitions

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

Alternative breast implants (also called combination implants): A type of breast implant that has two compartments that contain both silicone and saline. Some of these implants have silicone as the inner compartment and saline as the outer compartment. The saline compartment is filled at the time of surgery. Other implants in this category contain saline in the inner compartment and silicone in the outer compartment.

Augmentation mammaplasty (also referred to as augmentation mammoplasty): A surgical procedure in which the purpose is to enlarge the breast or breasts.

Breast implant-associated anaplastic large cell lymphoma (BIA-ALCL): This is a rare form of T-cell lymphoma (that is, Non-Hodgkin lymphoma) which is associated with breast implants. ALCL is characterized by abnormal growth of T-lymphocytes (T-cells) and strong expression of a protein, cytokine receptor CD30. ALCL can involve many parts of the body, including the lymph nodes and skin. There are currently two major variants of ALCL recognized in the literature, one of which expresses the protein anaplastic lymphoma kinase (ALK-positive) and a second which does not (ALK-negative). Reports in the scientific community have suggested a possible association between ALK-negative ALCL and silicone- and saline-filled breast implants. Optimum treatment is complete removal of the breast implants.

Contracture: A condition where scar tissue forms internally around the breast implant, tightens and makes the breast round, firm, and possibly painful. This excessive firmness of the breasts can occur soon after surgery or years later.

Contralateral: Pertaining to the opposite side which, in the case of breasts, refers to the breast not being medically treated.

Extrusion: A condition, where the lack of adequate tissue coverage, infection, or other conditions where skin may be weakened, that results in exposure of the implant through the skin.

Mastectomy: The surgical removal of a breast.

Mastopexy: A surgical procedure designed to elevate sagging breasts to a normal position, often with some improvement in shape.

Poland's Syndrome: A condition where an individual is born missing some of their chest muscles and cartilage and did not develop a breast on one side of the chest during puberty.

Prophylactic mastectomy: A surgical procedure to remove a breast or both breasts with the purpose of reducing the risk of breast cancer in women determined to be at intermediate or high risk for developing breast cancer.

Reconstructive breast surgery: Surgical procedures performed to correct or repair abnormal structures of the breast that are designed to restore the normal appearance of one or both breasts.

Reduction mammaplasty (also referred to as reduction mammoplasty): A surgical procedure to decrease breast size.

Rupture: A condition where a liquid or gel-filled breast implant bursts, allowing leakage of its contents into the surrounding tissue.

Coding

The following codes for treatments and procedures applicable to this document are included below for informational purposes. Inclusion or exclusion of a procedure, diagnosis or device code(s) does not constitute or imply member coverage or provider reimbursement policy. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage of these services as it applies to an individual member.

Reconstructive Breast Procedures before or after Breast Surgery When services may be Reconstructive when criteria are met:

| CPT | |
|-------------|--|
| 11920-11922 | Tattooing, intradermal introduction of insoluble opaque pigments to correct color defects of skin, including micropigmentation; 6.0 sq cm or less [when specified for |
| | nipple/areola reconstruction after breast surgery; includes codes 11920, 11921, 11922] |
| 15877 | Suction assisted lipectomy; trunk [when specified as a breast reconstruction procedure following breast surgery] |
| 19316 | Mastopexy |
| 19318 | Breast reduction |
| 19325 | Breast augmentation with implant |
| 19340 | Insertion of breast implant on same day of mastectomy (ie, immediate) |
| 19342 | Insertion or replacement of breast implant on separate day from mastectomy |
| 19350 | Nipple/areola reconstruction [when specified as a breast reconstruction procedure following breast surgery] |
| 19355 | Correction of inverted nipples |
| 19357 | Tissue expander placement in breast reconstruction, including subsequent |
| 17337 | expansion(s) |
| 19361 | Breast reconstruction; with latissimus dorsi flap |
| 19364 | Breast reconstruction; with free flap (eg, fTRAM, DIEP, SIEA, GAP flap) |
| 19367 | Breast reconstruction; with single-pedicled transverse rectus abdominis myocutaneous (TRAM) flap |
| 19368 | Breast reconstruction; with single-pedicled transverse rectus abdominis myocutaneous (TRAM) flap, requiring separate microvascular anastomosis (supercharging) |
| 19369 | Breast reconstruction; with bipedicled transverse rectus abdominis myocutaneous (TRAM) flap |
| 19380 | Revision of reconstructed breast (eg, significant removal of tissue, re-advancement and/or re-inset of flaps in autologous reconstruction or significant capsular revision combined with soft tissue excision in implant-based reconstruction) |
| 19396 | Preparation of moulage for custom breast implant |
| HCPCS | |
| C1789 | Prosthesis, breast (implantable) |
| L8600 | Implantable breast prosthesis, silicone or equal |
| | |

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

| S2066 | Breast reconstruction with gluteal artery perforator (GAP) flap, including harvesting of the flap, microvascular transfer, closure of donor site and shaping the flap into a |
|------------------|---|
| S2067 | breast, unilateral Breast reconstruction of a single breast with "stacked" deep inferior epigastric perforator (DIEP) flap(s) and/or gluteal artery perforator (GAP) flap(s), including harvesting of the flap(s), microvascular transfer, closure of donor site(s) and shaping the flap into a breast, unilateral |
| S2068 | Breast reconstruction with deep inferior epigastric perforator (DIEP) flap or superficial inferior epigastric artery (SIEA) flap, including harvesting of the flap, microvascular transfer, closure of donor site and shaping the flap into a breast, unilateral |
| ICD-10 Procedure | |
| 0H0T07Z-0H0V0ZZ | Alteration of breast [right, left or bilateral, with or without tissue or synthetic substitute, by approach; includes codes 0H0T07Z, 0H0T0JZ, 0H0T0KZ, 0H0T0ZZ, 0H0U07Z, 0H0U0JZ, 0H0U0KZ, 0H0U0ZZ, 0H0V07Z, 0H0V0JZ, 0H0V0KZ, 0H0V0ZZ] |
| 0HHT0NZ-0HHV0NZ | Insertion of tissue expander into breast, open approach [right, left or bilateral; includes codes 0HHT0NZ, 0HHU0NZ, 0HHV0NZ] |
| 0HPT0NZ-0HPU8NZ | Removal of tissue expander from breast [right or left, by approach; includes codes 0HPT0NZ, 0HPT3NZ, 0HPT7NZ, 0HPT8NZ, 0HPU0NZ, 0HPU3NZ, 0HPU7NZ, 0HPU8NZ] |
| 0HRT075-0HRV075 | Replacement of breast using latissimus dorsi myocutaneous flap, open approach [right, left or bilateral; includes codes 0HRT075, 0HRU075, 0HRV075] |
| 0HRT076-0HRV076 | Replacement of breast using transverse rectus abdominis myocutaneous flap, open approach [right, left or bilateral; includes codes 0HRT076, 0HRU076, 0HRV076] |
| 0HRT077-0HRV077 | Replacement of breast using deep inferior epigastric artery perforator flap, open approach [right, left or bilateral; includes codes 0HRT077, 0HRU077, 0HRV077] |
| 0HRT078-0HRV078 | Replacement of breast using superficial inferior epigastric artery flap, open approach [right, left or bilateral; includes codes 0HRT078, 0HRU078, 0HRV078] |
| 0HRT079-0HRV079 | Replacement of breast using gluteal artery perforator flap, open approach [right, left or bilateral; includes codes 0HRT079, 0HRU079, 0HRV079] |
| 0HRT07Z-0HRV07Z | Replacement of breast with autologous tissue substitute, open approach [right, left or bilateral; includes codes 0HRT07Z, 0HRU07Z, 0HRV07Z] |
| 0HRT0JZ-0HRV0JZ | Replacement of breast with synthetic substitute, open approach [right, left or bilateral; includes codes 0HRT0JZ, 0HRU0JZ, 0HRV0JZ] |
| 0HRT0KZ-0HRV0KZ | Replacement of breast with nonautologous tissue substitute, open approach [right, left or bilateral; includes codes 0HRT0KZ, 0HRU0KZ, 0HRV0KZ] |
| 0HRW07Z-0HRXXKZ | Replacement of nipple [right or left, by type of substitute and approach; includes codes 0HRW07Z, 0HRW0JZ, 0HRW0KZ, 0HRW37Z, 0HRW3JZ, 0HRW3KZ, 0HRWX7Z, 0HRWXJZ, 0HRWXJZ, 0HRXXJZ, 0HRXXJZ, 0HRXXJZ, 0HRXXZ, 0HRXZ, 0HRZ, 0HZ, 0HRZ, 0HZ, 0HZ, 0HZ, 0HZ, 0HZ, 0HZ, 0HZ, 0H |
| 0HST0ZZ-0HSV0ZZ | Reposition breast, open approach [right, left or bilateral; includes codes 0HST0ZZ, 0HSU0ZZ, 0HSV0ZZ] |

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

| 0HUT07Z-0HUV0KZ | Supplement breast, open approach [right, left or bilateral with tissue or synthetic |
|-----------------|---|
| | substitute; includes codes 0HUT07Z, 0HUT0JZ, 0HUT0KZ, 0HUU07Z, 0HUU0JZ, |

substitute; includes codes ono 10/Z, ono 10/Z, ono 10/Z,

0HUU0KZ, 0HUV07Z, 0HUV0JZ, 0HUV0KZ]

0J060ZZ-0J063ZZ Alteration of chest subcutaneous tissue and fascia [by approach, includes codes

0J060ZZ, 0J063ZZ]

OJD60ZZ-0JD63ZZ Extraction of chest subcutaneous tissue and fascia [by approach; includes codes

0JD60ZZ, 0JD63ZZ]

0KXK0Z6-0KXL0Z6 Transfer abdomen muscle, transverse rectus abdominis myocutaneous flap, open

approach [right or left; includes codes 0KXK0Z6, 0KXL0Z6]

ICD-10 Diagnosis

C50.011-C50.929 Malignant neoplasm of breast

C79.81 Secondary malignant neoplasm of breast

D05.00-D05.92 Carcinoma in situ of breast

N65.0-N65.1 Deformity and disproportion of reconstructed breast

T81.40XA-T81.40XS Infection following a procedure, unspecified

T85.41XA-T85.49XS Mechanical complication of breast prosthesis and implant

T85.79XA-T85.79XS Infection and inflammatory reaction due to other internal prosthetic devices, implants

and grafts

Z42.1 Encounter for breast reconstruction following mastectomy

Z85.3 Personal history of malignant neoplasm of breast

Z90.10-Z90.13 Acquired absence of breast and nipple

Reconstructive Breast Procedures for Other Indications:

When services may also be Reconstructive when criteria are met:

For the procedure codes listed above; for the following diagnoses:

ICD-10 Diagnosis

N64.82 Hypoplasia of breast

Q67.6-Q67.7 Pectus excavatum, pectus carinatum

Q79.8 Other congenital malformations of musculoskeletal system (Poland syndrome)

Q83.0 Congenital absence of breast with absent nipple

O83.2 Absent nipple

S21.001A-S21.009S Unspecified open wound of breast

S21.011A-S21.019S Laceration without foreign body of breast Laceration with foreign body of breast

S28.211A-S28.229S Traumatic amputation of breast

When services are Cosmetic and Not Medically Necessary:

For the procedure codes listed above when criteria are not met, or when the code describes a procedure indicated in the Position Statement section as cosmetic and not medically necessary.

Breast Implant Removal or Revision

When services may be Medically Necessary or Reconstructive when criteria are met:

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

CPT

19328 Removal of intact breast implant

19330 Removal of ruptured breast implant, including implant contents (eg, saline, silicone

gel)

ICD-10 Procedure

0H2TXYZ-0H2UXYZ Change other device in breast, external approach [right or left; includes codes

0H2TXYZ, 0H2UXYZ]

OHPT0JZ-0HPU0JZ Removal of synthetic substitute from breast, open approach [right or left; includes

codes 0HPT0JZ, 0HPU0JZ]

OHPT0KZ-0HPU0KZ Removal of nonautologous tissue substitute from breast, open approach [right or left;

includes codes 0HPT0KZ, 0HPU0KZ]

0HWT0JZ-0HWU0JZ Revision of synthetic substitute in breast, open approach [right or left; includes codes

OHWT0JZ, OHWU0JZ]

0HWT0KZ-0HWU0KZ Revision of nonautologous tissue substitute in breast, open approach [right or left;

includes codes 0HWT0KZ, 0HWU0KZ]

ICD-10 Diagnosis

C50.011-C50.929 Malignant neoplasm of breast

C79.81 Secondary malignant neoplasm of breast

C84.60-C84.69 Anaplastic large cell lymphoma, ALK-positive Anaplastic large cell lymphoma, ALK-negative

C86.6 Primary cutaneous CD30-positive T-cell proliferations

D05.00-D05.92 Carcinoma in situ of breast

T81.40XA-T81.40XS Infection following a procedure, unspecified

T85.41XA-T85.49XS Mechanical complication of breast prosthesis and implant

T85.79XA-T85.79XS Infection and inflammatory reaction due to other internal prosthetic devices, implants

and grafts

Z40.8-Z40.9 Encounter for other/unspecified prophylactic surgery
Z42.1 Encounter for breast reconstruction following mastectomy

Z42.8 Encounter for other plastic and reconstructive surgery following medical procedure

or healed injury

Z45.811-Z45.819 Encounter for adjustment or removal of breast implant Z85.3 Personal history of malignant neoplasm of breast

Z98.82 Breast implant status

When services are Not Medically Necessary:

For the procedure and diagnosis codes listed above when criteria are not met, for all other diagnoses not listed; or when the code describes a procedure indicated in the Position Statement section as not medically necessary.

References

Peer Reviewed Publications:

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

- 1. Black CK, Graziano FD, Fan KL, et al. Combining abdominal flaps and implants in the breast reconstruction patient: A systematic and retrospective review of complications and outcomes. Plast Reconstr Surg. 2019; 143(3):495e-503e.
- 2. Brown SL, Pennello G, Berg WA, et al. Silicone gel breast implant rupture, extracapsular silicone, and health status in a population of women. J Rheumatol. 2001; 28(5):996-1003.
- 3. Calobrace MB, Schwartz MR, Zeidler KR, et al. Long-term safety of textured and smooth breast implants. Aesth Surg J. 2018; 38(1):38-48. Available at: https://academic.oup.com/asj/article/38/1/38/4259312. Accessed on October 12, 2021.
- 4. Chun YS. Nipple-Areola Reconstruction. Updated June 18, 2021. Available at: http://www.emedicine.com/plastic/topic144.htm. Accessed on October 12, 2021.
- 5. Clemens MW, Medeiros LJ, Butler CE, et al. Complete surgical excision is essential for the management of patients with breast implant-associated anaplastic large-cell lymphoma. J Clin Oncol. 2016; 34(2):160-168.
- 6. Contant CM, Menke-Pluijmers MB, Seynaeve C, et al. Clinical experience of prophylactic mastectomy followed by immediate breast reconstruction in women with hereditary risk of breast cancer (HB(O)C) or a proven BRCA1 and BRCA2 germ-line mutation. Eur J Surg Oncology. 2002; 28(6):627-632.
- 7. Davila AA1, Mioton LM, Chow G, et al. Immediate two-stage tissue expander breast reconstruction compared with one-stage permanent implant breast reconstruction: a multi-institutional comparison of short-term complications. J Plast Surg Hand Surg. 2013; 47(5):344-349.
- 8. Gabriel SE, Woods JE, O'Fallon WM, et al. Complications leading to surgery after breast implantation. N Engl J Med. 1997; 336(10):677-682.
- 9. Ghione P, Cordeiro PG, Ni A, et al. Risk of breast implant associated anaplastic large cell lymphoma (BIA-ALCL) in a cohort of 3546 women prospectively followed after receiving textured implants. Hematol Oncol. 2019; 37:97-98.
- 10. Heitland A, Markowicz M, Koellensperger E, et al. Long-term nipple shrinkage following augmentation by an autologous rib cartilage transplant in free DIEP-flaps. J Plast Reconstr Aesthet Surg. 2006; 59(10):1063-1067.
- 11. Hennekens CH, Lee IM, Cook NR, et al. Self-reported breast implants and connective tissue diseases in female health professionals. A retrospective cohort study. JAMA. 1996; 275(8):616-621.
- 12. Henriksen TF, Fryzek JP, Holmich LR, et al. Surgical intervention and capsular contracture after breast augmentation: a prospective study of risk factors. Ann Plast Surg. 2005; 54(4):343-351.
- 13. Holmich LR, Fryzek JP, Kjoller K, et al. The diagnosis of silicone breast implant rupture: clinical findings compared with findings at magnetic resonance imaging. Ann Plast Surg. 2005; 54(6):583-589.
- 14. Hwang MJ, Brown H, Murrin R, et al. Breast implant-associated anaplastic large cell lymphoma: a case report and literature review. Aesthetic Plast Surg. 2015; 39(3):391-395.
- 15. Janowsky EC, Kupper LL, Hulka BS. Meta-analyses of the relation between silicone breast implants and the risk of connective-tissue diseases. N Eng J Med. 2000; 342(11):781-790.
- 16. Kim B, Roth C, Chung KC, et al. Anaplastic large cell lymphoma and breast implants: a systematic review. Plast Reconstr Surg. 2011; 127(6):2141-2150.
- 17. Laurent C, Delas A, Gaulard P, et al. Breast implant associated anaplastic large cell lymphoma: two distinct clinicopathological variants with different outcomes. Ann Oncol. 2016; 27(2):306-314.
- 18. Leberfinger AN, Behar BJ, Williams NC, et al. Breast implant-associated anaplastic large cell lymphoma: a systematic review. JAMA Surg. 2017; 152(12):1161-1168.
- 19. Levine SM, Snider C, Gerald G, et al. Buried flap reconstruction after nipple-sparing mastectomy: advancing toward single-stage breast reconstruction. Plast Reconstr Surg. 2013; 132(4):489e-497e.
- 20. Lipworth L, Tarone RE, McLaughlin JK. Breast implants and fibromyalgia: a review of the epidemiologic evidence. Ann Plast Surg. 2004; 52(3):284-287.

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

- 21. Locke MB, Lofts J. Variable presentation of anaplastic large-cell lymphoma in patients with breast implants. ANZ J Surg. 2017; 87(10):789-794.
- 22. Mathes SJ. Breast implantation: the quest for safety and quality, N Engl J Med. 1997; 336(10):718-719.
- 23. McIntosh SA, Horgan K. Breast cancer following augmentation mammoplasty a review of its impact on prognosis and management. J Plast Reconstr Aesthet Surg. 2007; 60(10):1127-1135.
- 24. McLaughlin JK, Lipworth L, Murphy DK, Walker PS. The safety of silicone gel-filled breast implants: a review of the epidemiologic evidence. Ann Plast Surg. 2007; 59(5):569-580.
- 25. Mess SA. Lipoaugmentation following implant removal preferred by plastic surgeons and the general public. Plast Reconstr Surg Glob Open. 2018; 6(8):e1882.
- 26. Panayi AC, Agha RA, Sieber BA, Orgill DP. Impact of obesity on outcomes in breast reconstruction: a systematic review and meta-analysis. J Reconstr Microsurg. 2018; 34(5):363-375.
- 27. Roostaeian J, Sanchez I, Vardanian A, et al. Comparison of immediate implant placement versus the staged tissue expander technique in breast reconstruction. Plast Reconstr Surg. 2012; 129(6):909e-918e.
- 28. Song JW, Kim HM, Bellfi LT, Chung KC. The effect of study design biases on the diagnostic accuracy of magnetic resonance imaging for detecting silicone breast implant ruptures: a meta-analysis. Plast Reconstr Surg. 2011; 127(3):1029-1044.
- 29. Stanec Z1, Zic R, Budi S, et al. Skin and nipple-areola complex sparing mastectomy in breast cancer patients: 15-year experience. Ann Plast Surg. 2014; 73(5):485-491.
- 30. Stevens WG, Calobrace MB, Alizadeh K, et al. Ten-year core study data for Sientra's Food and Drug Administration-approved round and shaped breast implants with cohesive silicone gel. Plast Reconstr Surg. 2018; 141(4S):7S-19S.
- 31. Stevens WG1, Harrington J, Alizadeh K, et al. Five-year follow-up data from the U.S. clinical trial for Sientra's U.S. Food and Drug Administration-approved Silimed® brand round and shaped implants with high-strength silicone gel. Plast Reconstr Surg. 2012; 130(5):973-981.
- 32. Tanna N, Broer PN, Weichman KE, et al. Microsurgical breast reconstruction for nipple-sparing mastectomy. Plast Reconstr Surg. 2013; 131(2):139e-147e.
- 33. Weiss PR. Breast reconstruction after mastectomy. Am J Managed Care. 1997; 3(6):932-937.
- 34. Winocour S1, Saksena A, Oh C, et al. A systematic review of comparison of autologous, allogeneic, and synthetic augmentation grafts in nipple reconstruction. Plast Reconstr Surg. 2016; 137(1):14e-23e.
- 35. Zion SM, Slezak JM, Sellers TA, et al. Re-operations after prophylactic mastectomy with or without implant reconstruction. Cancer. 2003; 98(10):2152-2160.

Government Agency, Medical Society, and Other Authoritative Publications:

- 1. American Society of Plastic and Reconstructive Surgeons Citizens' Petition to the Food and Drug Administration submitted by the American Society of Plastic and Reconstructive Surgeons which requests that silicone gel-filled implants remain available because the device is necessary for the public health. Nov. 29, 1991. Arlington Heights, Ill.
- 2. American Society of Plastic Surgeons (ASPS). BIA-ALCL Resources. Last updated Feb. 24, 2020. Available at: https://www.plasticsurgery.org/for-medical-professionals/health-policy/bia-alcl-physician-resources/summary-and-quick-facts. Accessed on October 12, 2021.
- American Society of Plastic Surgeons (ASPS). Evidence-Based Clinical Practice Guideline: Autologous Breast Reconstruction with DIEP or Pedicled TRAM Abdominal Flaps. 2017. Available at: https://www.plasticsurgery.org/documents/medical-professionals/quality-resources/guidelines/guideline-2017-autologous-breast-reconstruction.pdf. Accessed on October 12, 2021.

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

- 4. Baker JL. Augmentation mammaplasty. In Owsley JG, Peterson RA, eds: Symposium on Aesthetic Surgery of the Breast. St. Louis: Mosby, 1978.
- 5. Centers for Medicare and Medicaid Services (CMS). National Coverage Determination: Breast reconstruction following mastectomy. NCD #140.2. Effective January 1, 1997; revised October 3, 2003. Available at: http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=64&ncdver=1&bc=AgAAQAAAAAA&. Accessed on October 12, 2021.
- 6. Chung KC. Discussion: Managing late periprosthetic fluid collections (seroma) in patients with breast implants: a consensus panel recommendation and review of the literature. Plast Reconstr Surg. 2011; 128(1):13-16.
- 7. Coroneos CJ1, Selber JC, Offodile AC 2nd, et al. U.S. FDA breast implant postapproval studies: long-term outcomes in 99,993 patients. Ann Surg. 2019; 269(1):30-36.
- 8. Department of Health and Human Services (HHS). Proposed Rule on Nondiscrimination in Health Programs and Activities. §1557 of Affordable Care Act (ACA); Proposed 45 C.F.R. §92.206; 80 Fed. Reg. 54176-54177. RIN 0945-AA02. The Kaiser Commission on Medicaid and the Uninsured. Issue Brief. October 2015. Final Rule. Published May 18, 2016. Effective July 18, 2016. Available at: https://www.federalregister.gov/articles/2016/05/18/2016-11458/nondiscrimination-in-health-programs-and-activities. Accessed on October 12, 2021.
- 9. Jagsi R1, Jiang J, Momoh AO, Alderman A, et al. Trends and variation in use of breast reconstruction in patients with breast cancer undergoing mastectomy in the United States. J Clin Oncol. 2014; 32(9):919-926.
- 10. NCCN Clinical Practice Guidelines in Oncology[™]. © 2021. National Comprehensive Cancer Network Clinical Practice guidelines in Oncology. For additional information visit the NCCN website: http://www.nccn.org/index.asp. Accessed on October 11, 2021.
 - Breast Cancer (V8.2021). Revised September 13, 2021.
 - T-Cell Lymphoma (V1.2021). Revised October 5, 2020.
- 11. The Women's Health and Cancer Rights Act (WHCRA), §713; October 21, 1998. Available at: http://www.cms.gov/Regulations-and-Guidance/Health-Insurance-Reform/HealthInsReformforConsume/downloads/WHCRA_Statute.pdf. Accessed on October 12, 2021.
- 12. U.S. Food and Drug Administration (FDA). Breast implants: Additional Resources. Current: October 24, 2019. Available at: https://www.fda.gov/medical-devices/breast-implants/breast-implants-additional-resources. Accessed on October 12, 2021.
- 13. U.S. Food and Drug Administration (FDA). Study of silicone gel breast implant rupture, extracapsular silicone, and health status in a population of women. Published in May 2001. Page last updated January 18, 2018. Available at:
 - http://www.fda.gov/MedicalDevices/ProductsandMedicalProcedures/ImplantsandProsthetics/BreastImplants/ucm064382.htm. Accessed on October 12, 2021.
- 14. U.S. Food and Drug Administration (FDA). Center for Devices and Radiological Health (CDRH). Update on the Safety of Silicone Gel-Filled Breast Implants. June 2011. Current as of July 16, 2018. Available at:

 https://www.fda.gov/medical-devices/breast-implants/update-safety-silicone-gel-filled-breast-implants-2011-executive-summary, Accessed on October 12, 2021.
- 15. U.S. Food and Drug Administration (FDA). Guidance for industry and FDA staff: saline, silicone gel, and alternative breast implants. September 29, 2020. Available at: https://www.fda.gov/media/71081/download. Accessed on October 12, 2021.
- 16. U.S. Food and Drug Administration (FDA). Labeling for approved breast implants. Current: June 14, 2021. Available at: http://www.fda.gov/MedicalDevices/ProductsandMedicalProcedures/ImplantsandProsthetics/BreastImplants/ucm063743.htm. Accessed on October 12, 2021.

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

17. U.S. Food and Drug Administration (FDA). Information on breast implants and anaplastic large B-cell lymphoma. Current: October 23, 2019. Available at: http://www.fda.gov/MedicalDevices/ProductsandMedicalProcedures/ImplantsandProsthetics/BreastImplants/ucm239995.htm. Accessed on October 12, 2021.

Websites for Additional Information

- 1. American Cancer Society: Breast reconstruction surgery. Updated Sept. 28, 2019. Available at: https://www.cancer.org/search.html?q=Breast+reconstruction+surger. Accessed on October 11, 2021.
- 2. American Cancer Society: Information and Resources for Cancer. Available at: https://www.cancer.org/content/cancer/en/search.html?q=cancer. Accessed on October 11, 2021.
- 3. American Society for Aesthetic Plastic Surgery (ASAPS). Breast augmentation. Available at: http://www.surgery.org/consumers/procedures/breast/breast-implants. Accessed on October 11, 2021.
- American Society of Plastic Surgeons: Breast reconstruction. Available at: http://www.plasticsurgery.org/Patients and Consumers/Procedures/Reconstructive Procedures/Breast Reconstruction.html. Accessed on October 11, 2021.
- 5. National Cancer Institute: Breast cancer. Available at: http://www.cancer.gov/cancertopics/types/breast. Accessed on October 11, 2021.
- 6. Zenn MR. Free TRAM breast reconstruction. Updated February 26, 2019. Available at: http://www.emedicine.com/plastic/topic136.htm. Accessed on October 11, 2021.

.Index

Augmentation Mammaplasty BIOCELLTextured Implants

Breast Implants

Breast Lift

Breast Procedures

Mammoplasty

Mastopexy

Natrelle Saline-Filled breast implants

Natrelle Silicone-Filled breast implants

Natrelle Inspira Silicone-Filled breast implants

Natrelle 410 Highly Cohesive Anatomically Shaped Silicone-Filled breast implants

Reconstructive Breast Surgery

Reduction Mammaplasty

The use of specific product names is illustrative only. It is not intended to be a recommendation of one product over another, and is not intended to represent a complete listing of all products available.

Document History

Status Date Action

Revised 11/11/2021 Medical Policy & Technology Assessment Committee (MPTAC) review. A cross-reference was added to the Scope for MED.000132 Adipose-derived

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

| | | Regenerative Cell Therapy and Soft Tissue Augmentation Procedures to direct the reader for fat grafting and other soft tissue augmentation procedures of the breast. The language of the Reconstructive statement was reformatted for clarification with no change to stance or criteria. The References were updated. |
|----------|----------------------------|---|
| | 10/01/2021 | Updated Coding section with 10/01/2021 ICD-10-CM changes; added C84.7A. |
| Reviewed | 04/07/2021 1 11/05/2020 | Revised MN definition text in the Description section. MPTAC review. The Rationale and References sections were updated. Updated |
| reviewee | 11/03/2020 | Coding section with 01/01/2021 CPT descriptor changes; codes 19324, 19366 deleted 12/31/2020. |
| | 04/01/2020 | Updated Coding section; corrected ICD-10 diagnosis codes T81.40XA-T81.40XS. |
| Revised | 11/07/2019 | MPTAC review. The MN indications for implant removal were expanded to add elective removal of Allergan BIOCELL textured breast implants and tissue |
| | | expanders due to risk for BIA-ALCL. The Rationale, Coding, References and Index sections were updated. |
| Revised | 06/06/2019 | MPTAC review. Reduction mammaplasty done in advance of mastectomy or |
| | | lumpectomy for breast cancer was added to the covered reconstructive |
| Davigad | 07/26/2018 | procedures. The Background, References and Index sections were updated. |
| Revised | 07/20/2018 | MPTAC review. Breast implant-associated anaplastic large cell lymphoma (BIA-ALCL) was added to the medically necessary indications for implant |
| | | removal. The Rationale, Coding, Definitions and References sections were |
| | | updated. |
| | 05/01/2018 | The document header wording updated from "Current Effective Date" to "Publish Date." |
| Reviewed | | MPTAC review. Coding and References sections were updated. |
| Reviewed | 1 08/04/2016 | MPTAC review. References were updated. Removed ICD-9 codes from Coding section. |
| Reviewed | | MPTAC review. References were updated. |
| Reviewed | 1 08/14/2014 | MPTAC review. The Background, Coding and References sections were updated. |
| Reviewed | 1 08/08/2013 | MPTAC review. References were updated. |
| Revised | 08/09/2012 | MPTAC review. Position statements section was reformatted for clarification. |
| | | Position statement for other procedures (including augmentation |
| | | mammaplasty/breast lift, implant repositioning, repair of inverted nipples, |
| | | mastopexy) was revised to state that these procedures are considered cosmetic |
| | | and not medically necessary except when performed as part of a covered breast |
| | 07/01/2012 | reconstruction service. The Rationale, Coding and References were updated. Updated Coding section to recategorize CPT 19355. |
| Reviewed | | MPTAC review. The Definitions and References were updated. |
| Reviewed | | MPTAC review. References were updated. |
| | 04/21/2010 | Updated Coding section to add CPT 11921, 11922. |
| Revised | 08/27/2009 | MPTAC review. The language of the criteria under each category has been |
| | | reformatted for clarification with no substantial revisions. References were updated. |

Medical Policy

Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures

| Breast Free | dares, meraam | 5 Recommudenve bu | igery, implants | and Other Dreast Frocedures | | |
|------------------------------|----------------------|---|--|--|--|--|
| Revised | 08/28/2008 | implant removal and replacement was clarified. Cosmetic language was also clarified. References were updated. Updated coding section with 10/01/2008 ICD-9 changes. | | | | |
| | 02/21/2008 | | | | | |
| Revised | 08/23/2007 | MPTAC review. Information was added to the Description and to the statements under Reconstructive Surgery and Management of Breast Implants sections regarding the definitions of "Reconstructive," "Medically Necessary" and "Cosmetic" for clarification. References were also updated. | | | | |
| | 07/01/2007 | Updated Coding secti | on with 07/01/200 | 7 HCPCS changes. | | |
| Reviewed | 09/14/2006 | | MPTAC review. References were updated. | | | |
| | 11/17/2005 | | | re and Medicaid Services (CMS) – | | |
| | | National Coverage Determination (NCD). | | | | |
| Revised | 09/22/2005 | | | - merger Anthem and Pre-merger | | |
| 110,1300 | 03/12/2000 | WellPoint Harmonization. | | Adago i annoni una i to morgei | | |
| Pre-Merger | • Organizations | Last Review | Document | Title | | |
| | G | Date | Number | | | |
| Anthem, Inc | ÷. | 04/27/2004 | SURG.00023 | Breast Procedures; including | | |
| , | | | | Prophylactic Mastectomy; | | |
| | | | | Reconstructive Surgery, including implants; Reduction Mammaplasty; | | |
| | | | | | | |
| WallDaint II | laalth Naturarlea Ir | nc. 06/24/2004 | 3.01.09 | Mastectomy for Gynecomastia | | |
| WellPoint Health Networks, I | | 12/02/2004 | Clinical | Reconstructive Breast Surgery | | |
| | | 12/02/2004 | | Removal of Breast Implants | | |
| | | 12/02/2004 | Guidelines | Deimalantation of Durant Invalues | | |
| | | 12/02/2004 | Clinical | Reimplantation of Breast Implants | | |
| | | | Guidelines | | | |
| | | | | | | |